



UNIDADES CONDENSADORAS DE AGUA

WATER COOLED
CONDENSING
UNITS



U. CONDENSADORAS AGUA R134a (Condensadores marinos, consultar precios)
WATER COOLED CONDENSING UNITS R134a (Marine condensers, ask for prices)



| | CODIGO CODE | U. COND. MODELO COND. UNIT MODEL | CONDENSADOR CONDENSER | CONEXIONES AGUA (FTP) WATER CO- NECTIONS | CAUDAL NOMINAL (Torre)[m3/h] NOMINAL FLOW (Tower)[m3/h] | Rendimientos T° Cond.+30C | | | |
|-------------------|----------------|-------------------------------------|--------------------------|---|--|---------------------------|-------|-------|-------|
| | | | | | | 5°C | 0°C | -5°C | -10°C |
| COMPR. REFR. AIRE | 701.0011.02 | W-07K5.2X | RCC 8/4 | 2 x 1 1/2" | 0,8 | 3275 | 2672 | 2156 | 1717 |
| | 701.0016.02 | W-1K7.2X | RCC 8/4 | 2 x 1 1/2" | 0,8 | 4188 | 3423 | 2764 | 2204 |
| | 701.0021.02 | W-1,5K8.2X | RCC 8/4 | 2 x 1 1/2" | 0,8 | 4801 | 3934 | 3181 | 2542 |
| | 701.0022.02 | W-1,5K9.2X | RCC 8/4 | 2 x 1 1/2" | 0,8 | 5883 | 4815 | 3899 | 3115 |
| | 701.0026.02 | W-2K9.2X | RCC 16/4 | 2 x 1 1/2" | 1 | 5941 | 4858 | 3935 | 3146 |
| | 701.0031.02 | W-2L13.2X | RCC 16/4 | 2 x 1 1/2" | 1 | 8496 | 6958 | 5633 | 4498 |
| | 701.0036.02 | W-3L19.2X | RCC 25/2 | 2 x 2" | 1,5 | 13229 | 10819 | 8732 | 6969 |
| | 701.0057.02 | W-4L23.2X | RCC 25/2 | 2 x 2" | 1,5 | 15485 | 12712 | 10313 | 8281 |
| C. REFR. GAS ASP. | 701.0067.02 | W-4LR23.2X | RCC 25/2 | 2 x 2" | 1,5 | 15330 | 12591 | 10107 | 8119 |
| | 701.0085.02 | W-6MR27.2X | RCC 25/2 | 2 x 2" | 1,5 | 18368 | 14874 | 11855 | 9316 |
| | 701.0102.02 | W-7MR32.2X | RCL 44/2 | 2 x 2" | 1,8 | 22136 | 18080 | 14557 | 11596 |
| | 701.0090.02 | W-6GR31.3X | RCC 25/2 | 2 x 2" | 1,4 | 20610 | 16742 | 13402 | 10575 |
| | 701.0106.02 | W-8GR39.3X | RCL 44/2 | 2 x 2" | 1,8 | 26618 | 21668 | 17392 | 13785 |
| | 701.0116.02 | W-10GR50.3X | RCL 67/2 | 2 x 2" | 4,6 | 33230 | 27036 | 21694 | 17191 |
| | 701.0120.02 | W-12GR60.3X | RCL 67/2 | 2 x 2" | 4,6 | 42818 | 35145 | 28520 | 23278 |

U. CONDENSADORAS AGUA R404A/507A (Cond. marinos, consultar precios)
WATER COOLED CONDENSING UNITS R404A/507A (Marine condensers, ask for prices)

| | CODIGO CODE | U. COND. MODELO COND. UNIT MODEL | CONDENSADOR CONDENSER | CONEXIONES AGUA (FTP) WATER CO- NECTIONS | CAUDAL NOMI- NAL (Torre)[m3/h] NOMINAL FLOW (Tower)[m3/h] | Rendimientos T° Cond.+30C | | | |
|-------------------------------------|----------------|-------------------------------------|--------------------------|---|--|---------------------------|-------|-------|-------|
| | | | | | | -5°C | -10°C | -25°C | -35°C |
| COMPRESORES REFRIGERADOS POR AIRE | 701.0010.02 | W-07K3.2X | RCC 8/4 | 2 x 1 1/2" | 0,8 | 2194 | 1786 | 900 | 507 |
| | 701.0011.02 | W-07K5.2X | RCC 8/4 | 2 x 1 1/2" | 0,8 | | | 1571 | 899 |
| | 701.0015.02 | W-1K5.2X | RCC 8/4 | 2 x 1 1/2" | 0,8 | 3731 | 3059 | 1561 | 894 |
| | 701.0016.02 | W-1K7.2X | RCC 8/4 | 2 x 1 1/2" | 0,8 | | | 2113 | 1235 |
| | 701.0020.02 | W-1,5K7.2X | RCC 8/4 | 2 x 1 1/2" | 0,8 | 4923 | 4046 | 2104 | 1235 |
| | 701.0021.02 | W-1,5K8.2X | RCC 8/4 | 2 x 1 1/2" | 0,8 | | | 2423 | 1424 |
| | 701.0022.02 | W-1,5K9.2X | RCC 8/4 | 2 x 1 1/2" | 0,8 | | | 3018 | 1775 |
| | 701.0026.02 | W-2K9.2X | RCC 16/4 | 2 x 1 1/2" | 1 | 7035 | 5784 | 2956 | 1738 |
| | 701.0030.02 | W-2L9.2X | RCC 16/4 | 2 x 1 1/2" | 1 | 7161 | 5847 | 2880 | 1521 |
| | 701.0031.02 | W-2L13.2X | RCC 16/4 | 2 x 1 1/2" | 1 | | | 4260 | 2273 |
| | 701.0035.02 | W-3L13.2X | RCC 25/2 | 2 x 2" | 1,5 | 10499 | 8591 | 4056 | 2217 |
| | 701.0038.02 | W-3L17.2X | RCC 25/2 | 2 x 2" | 1,5 | 13627 | 11166 | 6117 | 3388 |
| | 701.0036.02 | W-3L19.2X | RCC 25/2 | 2 x 2" | 1,5 | | | 7092 | 4103 |
| | 701.0055.02 | W-4L17.2X | RCC 25/2 | 2 x 2" | 1,5 | 14605 | 12018 | 6055 | 3365 |
| | 701.0056.02 | W-4L19.2X | RCC 25/2 | 2 x 2" | 1,5 | 16556 | 13620 | 6931 | 3900 |
| 701.0057.02 | W-4L23.2X | RCC 25/2 | 2 x 2" | 1,5 | | | 8244 | 4845 | |
| 701.0075.02 | W-5L23.2X | RCC 25/2 | 2 x 2" | 1,5 | 18789 | 15333 | 8021 | 4642 | |
| COMPRESORES POR REFR. GAS ASPIRACI- | 701.0067.02 | W-4LR23.2X | RCC 25/2 | 2 x 2" | 1,5 | | | 8087 | 4679 |
| | 701.0081.02 | W-5LR23.2X | RCC 25/2 | 2 x 2" | 1,5 | 18429 | 15048 | 7873 | 4513 |
| | 701.0085.02 | W-6MR27.2X | RCC 25/2 | 2 x 2" | 1,5 | | 17439 | 9015 | 5200 |
| | 701.0100.02 | W-7MR27.2X | RCL 44/2 | 2 x 2" | 1,8 | 21314 | 17400 | 8739 | 4919 |
| | 701.0102.02 | W-7MR32.2X | RCL 44/2 | 2 x 2" | 1,8 | | | 10320 | 5827 |
| | 701.0110.02 | W-9MR32.2X | RCL 44/2 | 2 x 2" | 1,8 | 25079 | 20488 | 10282 | 5804 |
| | 701.0090.02 | W-6GR31.3X | RCC 25/2 | 2 x 2" | 1,5 | | | 10110 | 5744 |
| | 701.0105.02 | W-8GR31.3X | RCL 44/2 | 2 x 2" | 1,8 | 25128 | 20464 | 9906 | 5560 |
| | 701.0106.02 | W-8GR39.3X | RCL 44/2 | 2 x 2" | 1,8 | | | 13014 | 7381 |
| | 701.0115.02 | W-10GR39.3X | RCL 67/2 | 2 x 2" | 4,6 | 31481 | 25749 | 12643 | 7381 |
| | 701.0116.02 | W-10GR50.3X | RCL 67/2 | 2 x 2" | 4,6 | | | 16979 | 9907 |
| | 701.0125.02 | W-15GR50.3X | RCL 67/2 | 2 x 2" | 4,6 | 40268 | 33028 | 16646 | 9870 |
| | 701.0120.02 | W-12GR60.3X | RCL 67/2 | 2 x 2" | 4,6 | | | 20706 | 12097 |
| | 701.0130.02 | W-18GR60.3X | RCL 67/2 | 2 x 2" | 4,6 | 48874 | 40119 | 20125 | 11977 |

U. COND. AGUA CON COMPRESORES 4 CILINDROS EN V (Cond. marinos, consultar precios)
WATER COOLED COND. U. WITH 4 CYLINDERS IN V COMPRESSORS (Marine condensers, ask for prices)

SEMIHERMETICOS SEMI-HERMETIC

| CODIGO CODE | U. COND. MODELO COND. UNIT MODEL | CONDENSADOR CONDENSER | CONEXIONES AGUA (FTP) WATER CO- NECTIONS | CAUDAL NOMI- NAL (Torre)[m3/h] NOMINAL FLOW (Tower)[m3/h] | Rendimientos T° Cond.+30C | | | |
|----------------------|-------------------------------------|--------------------------|---|--|---------------------------|-------|-------|-------|
| | | | | | 5°C | 0°C | -5°C | -10°C |
| R134a | | | | | | | | |
| 701.0082.02 | W-5VLR26.4X | RCC 25/2 | 2 x 2" | 1,5 | 17688 | 14324 | 11416 | 8971 |
| 701.0082.12 | W-5VLR29.4X | RCL 44/2 | 2 x 2" | 1,8 | 19838 | 16064 | 12804 | 10061 |
| 701.0098.22 | W-7VLR33.4X | RCL 44/2 | 2 x 2" | 1,8 | 22800 | 18622 | 14994 | 11944 |
| 701.0098.32 | W-7VLR38.4X | RCL 44/2 | 2 x 2" | 1,8 | 26086 | 21234 | 17045 | 13510 |
| 701.0125.22 | W-15VR73.4X | RCL 44/2 | 2 x 2" | 1,8 | 49706 | 40113 | 31779 | 24633 |
| 701.0140.02 | W-20VR83.4X | RCL 44/2 | 2 x 2" | 1,8 | 56440 | 45569 | 36033 | 28048 |
| 701.0150.02 | W-25VR93.4X | RCL 67/2 | 2 x 2" | 4,6 | 63903 | 51606 | 40818 | 31764 |
| 701.0145.12 | W-30VR118.4X | RCL 67/2 | 2 x 2" | 4,6 | 82983 | 66968 | 53055 | 41226 |
| R404A - R507A | | | | | | | | |
| 701.0082.02 | W-5VLR26.4X | RCC 25/2 | 2 x 2" | 1,5 | | 17172 | 8985 | 5150 |
| 701.0098.02 | W-7VLR26.4X | RCL 44/2 | 2 x 2" | 1,8 | 21030 | 17182 | 8975 | 5063 |
| 701.0082.12 | W-5VLR29.4X | RCL 44/2 | 2 x 2" | 1,8 | | 19166 | 9901 | 6177 |
| 701.0098.12 | W-7VLR29.4X | RCL 44/2 | 2 x 2" | 1,8 | 23255 | 19312 | 9832 | 6141 |
| 701.0098.22 | W-7VLR33.4X | RCL 44/2 | 2 x 2" | 1,8 | 24636 | 20260 | 10567 | 6177 |
| 701.0112.02 | W-10VLR33.4X | RCL 44/2 | 2 x 2" | 1,8 | 24724 | 20280 | 10472 | 6058 |
| 701.0098.32 | W-7VLR38.4X | RCL 44/2 | 2 x 2" | 1,8 | | 23426 | 12233 | 7182 |
| 701.0112.12 | W-10VLR38.4X | RCL 67/2 | 2 x 2" | 4,6 | 28489 | 23532 | 12200 | 7007 |
| 701.0125.22 | W-15VR73.4X | RCL 44/2 | 2 x 2" | 1,8 | | | 23057 | 13228 |
| 701.0135.02 | W-25VR73.4X | RCL 83/2 | 2 x 2" | 5 | 55567 | 44699 | 21801 | 13032 |
| 701.0140.02 | W-20VR83.4X | RCL 44/2 | 2 x 2" | 1,8 | | | 26212 | 15151 |
| 701.0145.02 | W-30VR83.4X | RCL 83/2 | 2 x 2" | 5 | 63116 | 50775 | 24790 | 14801 |
| 701.0150.02 | W-25VR93.4X | RCL 67/2 | 2 x 2" | 4,6 | | | 29690 | 17658 |
| 701.0155.02 | W-35VR93.4X | CF-90/4P | 2 x 2 1/2" | 6 | 71034 | 57147 | 27851 | 16730 |
| 701.0145.12 | W-30VR118.4X | RCL 67/2 | 2 x 2" | 4,6 | | | 38544 | 22265 |
| 701.0160.02 | W-40VR118.4X | CF-115/4P | 2 x 2 1/2" | 7,4 | 92770 | 74728 | 36446 | 21759 |

COMPRESORES POR REFRIGERADOS GAS DE ASPIRACION